

若有改动，恕不通知。请用户使用最新版本，  
本公司拥有最终解释权。  
采用生态纸印刷

Subject to change without notice. Please use the latest version of the user ,  
The company reserves the right of final interpretation.  
using eco-paper printed



# PRODUCT CATALOG

产品目录



 **吉富隆智能装备制造集团有限公司**  
GIFLON INTELLIGENT EQUIPMENT MANUFACTURING GROUP CO.,LTD.

总部地址: 北京市经济技术开发区中和街16号 服务热线: 400-603-5969 网址: www.giflon.com

**吉富隆智能装备制造集团有限公司**  
GIFLON INTELLIGENT EQUIPMENT MANUFACTURING GROUP CO.,LTD.



## 公司简介 Company's profile

吉富隆智能装备制造集团有限公司始建于2010年，是一家集自主研发、高端制造、营销服务为一体的现代化集团公司。集团总部坐落于首都北京经济技术开发区，交通十分便利。集团在北京、河北、江苏等地设有生产基地。注册资金10560万元。

公司有产品设计开发中心,现有中高级工程技术人员20余人,使用CAD、CAM辅助开发设计制造系统,采用Pro/E、SolidWorks等软件进行产品建模、有限元分析,以保证产品的设计开发。公司经过多年的创新和发展,已成为国内外具有很强的设计开发和科研与生产相结合规模的智能装备制造企业。

公司拥有先进的数控加工中心、数控机床及金加工和切削加工设备;全自动埋弧焊机、气体保护焊机等焊接设备及热处理设备;具备较强检测能力和先进检测设备,有光谱分析仪、硬度计、超声波测厚仪、超声波探伤仪等理化、无损检测设备,拥有先进的阀门综合性能测试、阀门扭矩、寿命试验装置等阀门压力、性能试验装置。

公司致力于智能装备、节能环保等领域,为智能工业系统、智慧热网、智慧水务提供节能方案设计、节能产品制造、工程节能改造、技术维护等服务。同时与哈尔滨工业大学紧密合作,为用户提供智能热网管理中心平台、热网监控、热源控制系、换热站无人值守控制等系统,针对集中供热领域全面提供从热源、热网、热力站到热用户的整体节能解决方案。

公司专业生产大口径和高压力的油气长输管线球阀(分体式和全焊接)和供热专用大口径全焊接球阀、轨道球阀、高性能金属密封蝶阀、旋塞阀以及平板闸阀等产品。可按GB、JB、ASME、ANSI、API、DIN、BS等标准生产,广泛应用在石油、天然气长输管线、化工、电厂、区域供热、水处理等诸多领域,产品以卓越的品质和优质服务赢得了国内外客户的信任,产品行销全国,并远销墨西哥、意大利、美国、智利、委内瑞拉、西班牙等国家和地区。

为了更好的适应市场经济,充分发挥企业优势,公司不断引进外来技术、吸纳先进的管理经验,引进培养高端人才,以一流的产品质量和周到的服务来回馈客户。作为高端阀门装备的制造厂家,为市场提供优质的智能装备产品是我们的责任,也是我们的生存发展之道。

诚信天下,合作共赢!欢迎新老客户莅临我公司参观、指导。

**GIFLON INTELLIGENT EQUIPMENT MANUFACTURING GROUP CO., LTD.** was founded in 2010. It is a modern group company integrating with own R&D, high-class manufacturing, and marketing services. Its headquarter is located in the Beijing Economic and Technological Development Zone within convenience transportation. The group has production bases in Beijing, Hebei, Jiangsu and etc, within RMB 105.6 million registered capital.

The company has more than 20 senior engineers and technicians, using CAD and CAM to develop design and manufacturing systems and applying software such as Pro/E and SolidWorks for products modeling and finite element analysis to guaranty the products design and development. After years of innovation and development, the company has become an intelligent equipment manufacturing enterprise with strong design, development, research and production in both China and abroad.

The company has advanced NCP, CNC machine tools, metal processing, lathe and milling equipment; automatic submerged arc, gas shield and other welding equipment; heat treatment equipment; and strong test capability and advanced mechanical and chemical testers, NDT test instruments such as spectrum analyzers, hardness testers, Ultrasonic thickness gauge, ultrasonic flaw detector, etc and advanced comprehensive valve performance testers, torque, and life span testers.

The company is dedicated on intelligent equipment, energy conservation and environmental protection, and provides services such as energy-saving solution design, energy-saving products manufacturing, projects energy-saving renew, and technical maintenance for intelligent industrial systems, intelligent heating networks, and intelligent water networks. Meanwhile, we have closed cooperation with Harbin Institute of Technology to provide intelligent heating network management center platform, heating network monitoring, heat source control system, heat exchange station unattended control and etc. For collective heat supply, we provide integrated solution for energy saving from the heat source, heat network, distribution station, until the end users.

We are professional on the manufacturing of large-diameter and high-pressure ball valves(split body and fully welded) for long-distance oil and gas pipeline and heating network pipeline, orbital ball valves, high-performance metal sealing butterfly valves, plug valves, flat gate valves and other products. Valve products can be produced in accordance with standards as ASME, ANSI, API, GB, DIN, BS and are widely used in petroleum and natural gas pipelines, oil refinery, chemical industry, power plants, heating network, water treatment and many other fields. Our products have won the trust from domestic and foreign customers through excellent quality and service, and have been exported to Mexico, Italy, the USA, Chile, Venezuela, Spain and other countries.



In order to better adapt to the market economy and completely utilize the advantages of our company, We continuously introduce foreign technology, absorb advanced management experience, high class human resource, and present high quality products and thoughtful service to our customers. As a manufacturer and innovator of high-class equipment, it is our responsibility to provide high-quality intelligent equipment products to the market; creating value for our customers is our way to survival and development.

We warmly welcome every new and old customer visits and instructs our company and look forward to build a win-win cooperation with you.

## 目录 Content

特材阀系列 Special Material Valve Series .....	01-02
燃气、供热专用全焊接球阀 Gas, Heating Dedicated Fully Welded Ball Valve .....	03
特种阀门系列 Special Valve Series .....	04-05
新阀门系列 The New Valve Series .....	06
波纹管阀门、旋塞阀、船用阀门 Bellows Valve, Plug Valve, Marine Valve .....	07
蝶阀系列 Butterfly Valve Series .....	08-09
球阀系列 Ball Valve Series .....	10-13
通用阀门系列 Universal Valve Series .....	14-15
水力控制阀系列 Hydraulic Control Valve .....	16-17
污水、煤气系列 Sewage Gas Series .....	18-21
过滤器系列 Filter Series .....	22-23
补偿器阀门系列 Compensator Valve Series .....	24-26
耐腐蚀阀门 Corrosion-resistant Valve .....	27
仪表阀系列 Instrumentation Valve .....	28
管路附件系列 Pipe Accessories Series .....	29
法兰 Flange Series .....	30
管件系列 Tube Series .....	31
执行机构及附件 Actuators And Accessories .....	32
管材系列 Piping Series .....	33
螺栓系列 Bolt Series .....	34
高性能阀门修复 High Performance Valve Repair .....	35

## ➔ 特材阀系列 Special Material Valve Series



产品名称 Product Name	因科镍阀门 (球阀、闸阀、截止阀、止回阀、蝶阀等) Inconel Valves
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	高浓度碱及还原性介质 High Concentration Of Alkali And Reducing Medium
阀体材质 Body Material	N6、N201、N200、CZ-100、Inconel 600、 Inconel 601、Inconel 800、Inconel 718、Inconel 690
压力等级 Pressure Rating	Class150-600Lb、PN1.6-10.0Mpa
通径范围 Size Range	1/2"-40"、DN15-DN1000
连接形式 End Connection	法兰、焊接 Flange、Welding



产品名称 Product Name	双相钢阀门 (球阀、闸阀、截止阀、止回阀、蝶阀等) Dual Phase Steel Valves
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	腐蚀性介质 Corrosive Medium
阀体材质 Body Material	S32750(SAF2507.F53)、S31803(SAF2205.F51)、654SMO、RS-2、XM-19(Nitronic50)、 S21800(Nitronic60)、20Mo-6(N08026)、F55(S32760)、F60(S32205)、17-7PH(SUS631)、 17-4PH(SUS630)、309S、310S (2520)、347 (S34700)、A4、C4、CN7MNS143
压力等级 Pressure Rating	Class150-600Lb、PN1.6-10.0Mpa
通径范围 Size Range	1/2"-40"、DN15-DN1000
连接形式 End Connection	法兰、焊接 Flange、Welding



产品名称 Product Name	哈氏合金阀门 (球阀、闸阀、截止阀、止回阀、蝶阀等) Hastelloy Valves
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	腐蚀性介质 Corrosive Medium
阀体材质 Body Material	Hastelloy C276、Hastelloy G30、Hastelloy C、 Hastelloy B、CW-6M、CW-12M、CW-7N
压力等级 Pressure Rating	Class150-600Lb、PN1.6-10.0Mpa
通径范围 Size Range	1/2"-32" DN15-DN800
连接形式 End Connection	法兰、焊接 Flange、Welding

## 特材阀系列 Special Material Valve Series



产品名称 Product Name	钛阀门 (球阀、闸阀、截止阀、止回阀、蝶阀等) Titanium Valve
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	氧化性腐蚀介质 Oxidative Corrosion
阀体材质 Body Material	TA1、TA2、TA10、Gr2、Gr3
压力等级 Pressure Rating	Class150-600Lb、PN1.6-10.0Mpa
通径范围 Size Range	1/2"-32"、DN15-DN800
连接形式 End Connection	法兰、焊接 Flange、Welding




产品名称 Product Name	锆阀门 (球阀、闸阀、截止阀、止回阀、蝶阀等) Zirconium valve
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	耐高温、耐强腐蚀介质 High Temperature Resistant, Resistant To Corrosion Medium
阀体材质 Body Material	Zr702、Zr705、702C、705C
压力等级 Pressure Rating	Class150-600Lb、PN1.6-10.0Mpa
通径范围 Size Range	1/2"-32"、DN15-DN800
连接形式 End Connection	法兰、焊接 Flange、Welding



产品名称 Product Name	蒙乃尔合金阀门 (球阀、闸阀、截止阀、止回阀、蝶阀等) Monel valves
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	强腐蚀性介质 Strong Corrosive Medium
阀体材质 Body Material	M-30C、Monel400、Monelk500
压力等级 Pressure Rating	Class150-600Lb、PN1.6-10.0Mpa
通径范围 Size Range	1/2"-32"、DN15-DN800
连接形式 End Connection	法兰、焊接 Flange、Welding

## 燃气、供热专用全焊接球阀 Gas, Heating Dedicated Fully Welded Ball Valve



产品名称 Product Name	免维护全焊接供热/燃气管球阀 Maintenance Free Fully Welded Ball Valve
设计、制造标准 Design & Manufacturing	API 6D
适用工况 Application Conditions	热力、燃气、供水管网 Heating, Gas, Water Supply Pipe Network
阀体材质 Body Material	Q345R
压力等级 Pressure Rating	Class150Lb、PN1.0-2.5Mpa
通径范围 Size Range	1/2"-56"、DN15-DN1400
连接形式 End Connection	法兰 Flange、焊接 Welding、WE、RTJ、RF



全焊接供热球阀 (小口径)  
Fully Welded Heating Ball Valve (Small Bore)



法兰手柄式  
Flange Handle Type



反冲洗自动过滤球阀  
Back Flushing Automatic Filtering Ball Valve



螺纹法兰式  
Thread Flange Type



免维护全焊接供热球阀  
Maintenance Free Fully Welded Heating Ball Valve



免维护全焊接燃气管球阀  
Maintenance Free Fully Welded Gas Ball Valve



全焊接供热球阀  
Fully Welded Heating Ball Valve



带排气供热直埋球阀  
Underground Ball Valve For Discharge And Heating Supply

## 特种阀门系列 Special Valve Series



产品名称 Product Name	除结晶冲洗阀 Flush Valve for Removing Crystal
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	水溶性结晶管道 Water Soluble Crystal Pipeline
阀体材质 Body Material	WCB、CF8、CF8M、CF3、CF3M
压力等级 Pressure Rating	Class150-300Lb、PN1.6-4.0Mpa
通径范围 Size Range	2"-12"、DN50-DN300
连接形式 End Connection	法兰 Flange



产品名称 Product Name	刀闸阀 Knife Gate Valve
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	污水、浆渣水混合物 Mixture of Sewage and Slurry Water
阀体材质 Body Material	WCB、CF8、CF8M、CF3、CF3M
压力等级 Pressure Rating	Class150Lb、PN0.6-2.5Mpa
通径范围 Size Range	2"-48"、DN50-DN1200
连接形式 End Connection	法兰、对夹法兰式 Flange、Wafer Flange



产品名称 Product Name	陶瓷阀门（球阀、闸阀、浆液阀、截止阀、蝶阀等） Ceramic valve
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	灰渣、煤浆、污水等输送系统 Transport System, Such As Ash, Coal Slurry, Sewage.
阀体材质 Body Material	WCB、CF8、CF8M、CF3、CF3M
压力等级 Pressure Rating	Class150-300Lb、PN1.6-4.0Mpa
通径范围 Size Range	2"-28"、DN50-DN700
连接形式 End Connection	法兰 Flange

## 特种阀门系列 Special Valve Series



产品名称 Product Name	压缩机防喘振阀 Compressor Anti Surge Valve
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	压缩机进出口 Inlet and Outlet of Compressor
阀体材质 Body Material	SS316L
压力等级 Pressure Rating	Class150-300Lb、PN1.6-4.0Mpa
通径范围 Size Range	6"-24"、DN150-DN600
连接形式 End Connection	法兰 Flange



Y型料浆阀  
Y Type Slurry Valve



角式放料阀  
Angle Type Discharge Valve



节流截止放空阀  
Throttle Stop Emptying Valve



阀套式排污阀  
Sleeve Type Blowdown Valve



抗生素专用截止阀  
Antibiotics Globe Valve



陶瓷阀门  
Ceramic Valve



取样柱塞阀  
Sampling Plunger Valve



罐底阀  
Tank Bottom Valve

## ➔ 新阀门系列 The New Valve Series



产品名称 Product Name	活塞式调流调压阀 Piston Type Flow and Pressure Regulating Valve
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	供水管网、引水工程、水厂、污水处理 Water Transportation Pipe Network、Sewage Treatment
阀体材质 Body Material	QT450、WCB
压力等级 Pressure Rating	Class150Lb、PN0.6-1.6Mpa
通径范围 Size Range	12"-80"、DN300-DN2000
连接形式 End Connection	法兰 Flange



双向压球面旋转阀  
Bidirectional Pressure Spherical Rotary Valve



大口径半球阀  
Large Size Half Ball Valve



上装式偏心半球阀  
Top Entry Eccentric Half Ball Valve



伸缩式偏心半球阀  
Telescopic Eccentric Half Ball Valve



焊接式半球阀  
Half Ball Valve With BW End



锁渣阀  
Lock Hopper Valve



清管阀  
Pig Valve



多功能管阀  
Multi-function Control Valve

## ➔ 波纹管阀门、旋塞阀、船用阀门 Bellows Valve, Plug Valve, Marine Valve



德标波纹管截止阀  
Din Bellows Globe Valve



德标Y型波纹管截止阀  
DIN Y Type Bellows Globe Valve



美标波纹管截止阀  
API Bellows Globe Valve



偏心旋塞阀  
Eccentric Plug Valve




旋塞阀  
Plug Valve



美标旋塞阀  
API Plug Valve



船用蝶阀  
Marine Butterfly Valve



船用闸阀  
Marine Gate Valve



船用铜阀门  
Marine Copper Valve



船用铜阀门  
Marine Copper Valve



船用阀  
Marine Valve



船用阀  
Marine Valve

## 蝶阀系列 Butterfly Valve Series



产品名称 Product Name	软密封蝶阀 Soft Seal Butterfly Valve
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	各种工业、市政管道 Various Industrial and Municipal Administration Pipeline
阀体材质 Body Material	WCB、QT450-10、HT200、HT250、CF8、CF8M
压力等级 Pressure Rating	Class150Lb、PN0.6-1.6Mpa
通径范围 Size Range	2"-120"、DN50-DN3000
连接形式 End Connection	法兰、对夹法兰式 Flange、Wafer Flange



产品名称 Product Name	双向承压硬密封蝶阀 Bidirectional Seal(metal Seat) Butterfly Valve
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	需要双向承压的供热系统、工业管道 Bidirectional sealing Pressure Heating System and Industrial Pipeline
阀体材质 Body Material	QT450、WCB、WCC、WC6、LCC、 CF8、CF8M、CF3、CF3M、CF7M、CF8C
压力等级 Pressure Rating	Class150-600Lb、PN0.6-10.0Mpa
通径范围 Size Range	2"-80"、DN50-DN2000
连接形式 End Connection	法兰、对夹法兰、焊接 Flange、Wafer Flange、Welding



产品名称 Product Name	三偏心硬密封蝶阀 Tri-eccentric Metal Seat Butterfly Valve
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	石化、电厂、钢厂、市政等给排水管道 Water Supply And Drainage Pipeline, Such As Petrochemical, Power Plant, Steel Factory And Municipal Administration.
阀体材质 Body Material	QT450、WCB、WCC、WC6、LCC、 CF8、CF8M、CF3、CF3M、CF7M、CF8C
压力等级 Pressure Rating	Class150-600Lb、PN0.6-10.0Mpa
通径范围 Size Range	2"-120"、DN50-DN3000
连接形式 End Connection	法兰、对夹法兰、焊接 Flange、Wafer Flange、Welding

## 蝶阀系列 Butterfly Valve Series



手动中线蝶阀  
Manual Concentric Type Butterfly Valve



中心板蝶阀  
Concentric Type Butterfly Valve



软密封蝶阀  
Soft Seal Butterfly Valve



伸缩蝶阀  
Telescopic Butterfly Valve



高压蝶阀  
High Pressure Butterfly Valve



美标超高压蝶阀  
American Standard Super High Pressure Butterfly Valve



焊接蝶阀  
Welded Butterfly Valve




凸耳蝶阀  
Lug Type Butterfly Valve



高温高压全金属密封蝶阀  
High Temperature And High Pressure Metal Seal Butterfly Valve



液控蝶阀  
Hydraulic Control Butterfly Valve



气液联动蝶阀  
Pneumatic-hydraulic-operated Butterfly Valve



快关阀  
Fast Valve

## 球阀系列 Ball Valve Series



产品名称 Product Name	全焊接管线球阀 Fully Welded Ball Valve
设计、制造标准 Design & Manufacturing	API 6D
适用工况 Application Conditions	天然气等长输管线 Long Distance Gas Transportation Pipeline
阀体材质 Body Material	ASTM, A105, ASTM, A350, LF2-M
压力等级 Pressure Rating	Class150-2500Lb, PN1.6-42.0Mpa
通径范围 Size Range	2"-56", DN50-DN1400
连接形式 End Connection	法兰 Flange, 焊接 Welding, RF, RTJ, WE



产品名称 Product Name	分体式球阀 Ball Valve With Split Body
设计、制造标准 Design & Manufacturing	API 6D
适用工况 Application Conditions	石油、化工等工艺管道 Petroleum, chemical Process Pipeline
阀体材质 Body Material	A105, A350 LF2, A182 F316, S32750(SAF2507,F53), S31803(SAF2205,F51)
压力等级 Pressure Rating	Class150-2500Lb, PN1.6-42.0Mpa
通径范围 Size Range	2"-56", DN50-DN1400
连接形式 End Connection	法兰 Flange, 焊接 Welding, RF, RTJ, WE



产品名称 Product Name	金属硬密封球阀 Metal Seal Ball Valve
设计、制造标准 Design & Manufacturing	API 6D
适用工况 Application Conditions	水煤浆、黑水、灰水等含颗粒介质 Water-coal Slurry, Black Water, Gray Water, Such Medium Containing Particle
阀体材质 Body Material	A105, A350 LF2, A182 F316, S32750(SAF2507,F53), S31803(SAF2205,F51)
压力等级 Pressure Rating	Class150-600Lb, PN1.6-42.0Mpa
通径范围 Size Range	1/2"-24", DN15-DN600
连接形式 End Connection	法兰 Flange, 焊接 Welding, RF, RTJ, WE

## 球阀系列 Ball Valve Series



产品名称 Product Name	轨道球阀 Orbit Ball Valve
设计、制造标准 Design & Manufacturing	API 6D
适用工况 Application Conditions	石化、天然气、化工的苛刻工况 Petrochemical, natural Gas, chemical Industry Severe Service
阀体材质 Body Material	A105, A350 LF2, A182 F316, S32750(SAF2507,F53), S31803(SAF2205,F51)
压力等级 Pressure Rating	Class150-2500Lb, PN1.6-42.0Mpa
通径范围 Size Range	1/2"-24", DN15-DN600
连接形式 End Connection	法兰 Flange, 焊接 Welding, RF, RTJ, WE



产品名称 Product Name	偏心半球阀 Eccentric Half Ball Valve
设计、制造标准 Design & Manufacturing	GB12237-89, API608, API 6D
适用工况 Application Conditions	污水(含泥沙)、海水、热等管网 Pipe Network, Such As Sewage (Contains Mud And Sand), Sea Water And Heating.
阀体材质 Body Material	WCB, WCC, LCB, LCC, CF8, CF8M, CF3, CF3M, CF7M, CF8C
压力等级 Pressure Rating	Class150-600Lb, PN1.6-10.0Mpa
通径范围 Size Range	2"-80", DN50-DN2000
连接形式 End Connection	法兰 Flange, 焊接 Welding, RF, RTJ, WE



产品名称 Product Name	球阀 Ball Valve
设计、制造标准 Design & Manufacturing	GB12237-89, API608, API 6D, JPI 7S-48, BS5351, DIN3357
适用工况 Application Conditions	水、气、油品等腐蚀性介质 Water, Gas, Oil, Such Corrosive Medium (Such As Wog)
阀体材质 Body Material	WCB, WCC, LCB, LCC, CF8, CF8M, CF3, CF3M, CF7M, CF8C
压力等级 Pressure Rating	Class150-2500Lb, PN1.6-42.0Mpa
通径范围 Size Range	2"-56", DN50-DN1400
连接形式 End Connection	法兰 Flange, 焊接 Welding, RF, RTJ, WE



## 球阀系列 Ball Valve Series



产品名称 Product Name	三通球阀 Three-way Ball Valve
设计、制造标准 Design & Manufacturing	GB12237-89、API608、 API 6D、JPI 7S-48、BS5351、DIN3357
适用工况 Application Conditions	水、气、油品等腐蚀性介质 Water, Gas, Oil, Such Corrosive Medium (Such As Wog)
阀体材质 Body Material	WCB、WCC、LCB、LCC、CF8、 CF8M、CF3、CF3M、CF7M、CF8C
压力等级 Pressure Rating	Class150-600Lb、PN1.6-10.0Mpa
口径范围 Size Range	1/2"-24"、DN15-DN600
连接形式 End Connection	法兰 Flange、焊接 Welding、RF、RTJ、WE



产品名称 Product Name	四通球阀 Four-way Ball Valve
设计、制造标准 Design & Manufacturing	GB12237-89、API608、 API 6D、JPI 7S-48、BS5351、DIN3357
适用工况 Application Conditions	水、气、油品等腐蚀性介质 Water, Gas, Oil, Such Corrosive Medium (Such As Wog)
阀体材质 Body Material	WCB、WCC、LCB、LCC、CF8、 CF8M、CF3、CF3M、CF7M、CF8C
压力等级 Pressure Rating	Class150-600Lb、PN1.6-10.0Mpa
口径范围 Size Range	1/2"-24"、DN15-DN600
连接形式 End Connection	法兰 Flange、焊接 Welding、RF、RTJ、WE



产品名称 Product Name	超薄球阀 Ultrathin Ball Valve
设计、制造标准 Design & Manufacturing	GB12237-89、API608、 API 6D、JPI 7S-48、BS5351、DIN3357
适用工况 Application Conditions	水、气、油品等腐蚀性介质 Water, Gas, Oil, Such Corrosive Medium (Such As Wog)
阀体材质 Body Material	WCB、WCC、LCB、LCC、CF8、 CF8M、CF3、CF3M、CF7M、CF8C
压力等级 Pressure Rating	Class150Lb、PN1.0-2.5Mpa
口径范围 Size Range	1/2"-8"、DN15-DN200
连接形式 End Connection	法兰 Flange、RF

## 球阀系列 Ball Valve Series



全焊接管线球阀  
Fully Welded Pipeline Ball Valve



全焊接管线球阀  
Fully Welded Pipeline Ball Valve



上装式球阀  
Top Entry Ball Valve



金属硬密封球阀  
Metal To Metal Seal Ball Valve



一体式高温球阀  
Uni-body High Temperature Ball Valve



保温三通球阀  
Heat Three Way Ball Valve



焦炉专用三通球阀  
Three Way Ball Valve For Coke Oven



超短系列球阀  
Ultra Short Series Ball Valve



二片式螺纹球阀  
2 Pieces Threaded Ball Valve



三片式螺纹球阀  
3 Pieces Threaded Ball Valve



气源球阀  
Ball Valve For Air Supply



塑料球阀  
Plastic Ball Valve

## 通用阀门系列 Universal Valve Series



产品名称 Product Name	闸阀 Gate Valve
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	水、油品、蒸汽、酸性介质等 Water, Oil, Steam, Sour Medium, etc.
阀体材质 Body Material	QT450、WCB、WCC、LCB、LCC、 CF8、CF8M、CF3、CF3M、CF7M、CF8C
压力等级 Pressure Rating	Class150-2500Lb、PN0.6-42.0Mpa
通径范围 Size Range	1/2"-56"、DN15-DN2400
连接形式 End Connection	法兰 Flange、焊接 Welding、RF、RTJ、WE



产品名称 Product Name	截止阀 Globe Valve
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	水、油品、蒸汽、酸性介质等 Water, Oil, Steam, Sour Medium, etc.
阀体材质 Body Material	WCB、WCC、LCB、LCC、CF8、 CF8M、CF3、CF3M、CF7M、CF8C
压力等级 Pressure Rating	Class150-2500Lb、PN0.6-42.0Mpa
通径范围 Size Range	1/2"-40"、DN15-DN1000
连接形式 End Connection	法兰 Flange、焊接 Welding、RF、RTJ、WE



产品名称 Product Name	止回阀 Check Valve
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	水、油品、蒸汽、酸性介质等 Water, Oil, Steam, Sour Medium, etc.
阀体材质 Body Material	WCB、WCC、LCB、LCC、CF8、 CF8M、CF3、CF3M、CF7M、CF8C
压力等级 Pressure Rating	Class150-2500Lb、PN0.6-42.0Mpa
通径范围 Size Range	1/2"-56"、DN15-DN2400
连接形式 End Connection	法兰 Flange、焊接 Welding、RF、RTJ、WE

## 通用阀门系列 Universal Valve Series



丝扣阀门  
Screw End Valve



暗杆铸钢闸阀  
Inside Screw Nonrising Stem  
Type Cast Steel Gate Valve



平板闸阀  
Flat Gate Valve



暗杆式弹性座封闸阀  
Inside Screw Nonrising Stem Type  
Elastic Seat Seal Gate Valve



自密封高压闸阀  
Self-sealing High Pressure Globe Valve



撑开式球面闸阀  
Self-sealing High Pressure Gate Valve




自密封高压截止阀  
Distraction Type Globe Gate Valve



Y型截止阀  
Y Type Globe Valve



大口径闸阀  
Large Diameter Gate Valve



美标镍铝青铜球阀  
API Nickel Aluminum Bronze Ball Valve



美标铝青铜闸阀  
API Aluminum Bronze Gate Valve



美标青铜截止阀  
API Bronze Globe Valve

## 水力控制阀系列 Hydraulic Control Valve



产品名称 Product Name	水力控制阀 Hydraulic Control Valve
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	供水、中水、电厂、化工等管道 Pipe Network, Such As Water Supply, Recycled Water, Power Plant And Chemical Industry.
阀体材质 Body Material	HT200、QT450、WCB、CF8
压力等级 Pressure Rating	Class150Lb、PN0.6-2.5Mpa
通径范围 Size Range	2"-80"、DN50-DN2000
连接形式 End Connection	法兰 Flange、RF



DY30AX 缓开缓闭止回阀  
DY30AX Non-slam Check Valve



膜片式高压多功能水泵控制阀  
High Pressure Diaphragm Type  
Multifunctional Pump Control Valve



LS735S压力波动防止阀  
Ls735s Check Valve For  
Anti-pressure Fluctuation



98002型过滤活塞式安全泄压阀  
98002 Type Filter Piston Type  
Pressure Relief Valve



双腔隔膜式排泥阀  
Dual Chamber Diaphragm Type Mud Valve



清水复合式排气阀  
Water Composite Blown-down Valve



高压水泵控制阀  
Control Valve For High Pressure Pump



多喷孔控制阀固定锥形阀  
Multi Jet Control Valve With  
Fixed Cone Valve

## 水力控制阀系列 Hydraulic Control Valve



HC42X(DRVZ) 静音止回阀  
HC42X(DRVZ) Silent Check Valve



HQ45X 滚球式球形止回阀  
HQ45X Ball Type Check Valve



HC41X 消声止回阀  
HC41X Silencing Check Valve



HC44X(SFCV) 橡胶瓣止回阀  
HC44X(SFCV) Rubber Disc Check Valve



轴流式止回阀  
Axial-flow Check Valve



消声缓闭蝶式止回阀  
Silencing Slow Close Butterfly Check Valve



数字锁定平衡阀  
Digital Lock Balance Valve



手动调节阀  
Manual Control Valve



J145X 排泥阀  
J145X Mud Valve



液动气动快开排泥阀  
Hydraulic/ Pneumatic Quick Mud Valve



轴流式控制阀  
Axial Flow Control Valves



斜盘止回阀  
Tilting Disk Check Valve

## 污水、煤气系列 Sewage Gas Series



产品名称 Product Name	燃气/煤气闸阀 Gas & Coal Gas Gate Valve
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	煤气、液化气、天然气、矿井瓦斯气等 Coal Gas, Liquefied Gas, Natural Gas, Mine Gas.
阀体材质 Body Material	HT200、QT450、WCB、 LCB、CF8、CF8M、CF3、CF3M
压力等级 Pressure Rating	Class150Lb、PN0.6-2.5Mpa
通径范围 Size Range	1/2"-120"、DN15-DN3000
连接形式 End Connection	法兰 Flange、RF



产品名称 Product Name	污水专用插板阀 Sewage Board Plug Valve
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	污水处理、化工、造纸业、自来水等排渣管道 Slagging Pipe, Such As Sewage Treatment, Chemical Industry, Paper Industry, Running Water.
阀体材质 Body Material	HT200、QT450、WCB、 LCB、CF8、CF8M、CF3、CF3M
压力等级 Pressure Rating	Class150Lb、PN0.6-2.5Mpa
通径范围 Size Range	1/2"-80"、DN15-DN2000
连接形式 End Connection	法兰 Flange、RF



产品名称 Product Name	钢闸门系列 Steel Gate Valve Series
设计、制造标准 Design & Manufacturing	非标 Non-standard
适用工况 Application Conditions	污水处理、取/排水工程 Drain Water Process And Water Supply/drainage
阀体材质 Body Material	Q235、Q345
压力等级 Pressure Rating	0.1Mpa
通径范围 Size Range	300-5000mm
连接形式 End Connection	渠道/孔壁安装 Channel / Hole Wall Installation


## 污水、煤气系列 Sewage Gas Series



产品名称 Product Name	铸铁镶铜闸门 Cast Iron And Copper Gate Valve
设计、制造标准 Design & Manufacturing	国标 GB
适用工况 Application Conditions	给排水、灌溉、水利、水电工程 Water Supply/drainage, Irrigation, Water Management And Water-energized Power Station Project
阀体材质 Body Material	HT250、QT450
压力等级 Pressure Rating	0.1Mpa
通径范围 Size Range	DN200~DN3000
连接形式 End Connection	渠道/孔壁安装 Channel / Hole Wall Installation



产品名称 Product Name	煤气专用蝶阀 Gas Butterfly Valve
设计、制造标准 Design & Manufacturing	国标 GB
适用工况 Application Conditions	高温烟气管道、煤气管道 High Temperature Flue Gas Pipeline、Gas Pipeline
阀体材质 Body Material	Q235、Q345
压力等级 Pressure Rating	0.05-0.6MPa
通径范围 Size Range	DN50-5000
连接形式 End Connection	法兰 Flange、RF




产品名称 Product Name	扇形盲板阀 Fan-shaped Blind Plate Valve
设计、制造标准 Design & Manufacturing	国标 GB
适用工况 Application Conditions	煤气管道 Gas Pipeline
阀体材质 Body Material	Q235、Q345
压力等级 Pressure Rating	0.05-0.6MPa
通径范围 Size Range	DN50-3000
连接形式 End Connection	法兰 Flange、RF

## 污水、煤气系列 Sewage Gas Series



产品名称 Product Name	全封闭眼镜阀 Full Sealed Glasses Valve
设计、制造标准 Design & Manufacturing	国标 GB
适用工况 Application Conditions	煤气管道 Gas Pipeline
阀体材质 Body Material	Q235、Q345
压力等级 Pressure Rating	0.05-0.6MPa
通径范围 Size Range	DN50-3000
连接形式 End Connection	法兰 Flange、RF



产品名称 Product Name	镶嵌式橡胶止回阀 Insert Rubber Check Valve
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	市政、水利、污水处理等，防止倒灌、倒流 Municipal Administration, Water Conservancy, Sewage Treatment, Prevent Flow Backward And Back Flow.
阀体材质 Body Material	EPDM、NR、NBR、NEOPRENE
压力等级 Pressure Rating	0.6-1.0MPa
通径范围 Size Range	DN50-3000
连接形式 End Connection	法兰 Flange、RF



煤气闸阀  
Coal Gas Gate Valve



污水专用闸阀  
Sewage Gate Valve



高温水冷蝶阀  
High Temperature And Water Cooling Butterfly Valve



三通煤气切换阀  
Three Way Gas Switching Valve

## 污水、煤气系列 Sewage Gas Series



伞齿轮刀浆阀  
Knife Gate Valve C/W Bevel Gear OP



污水阀  
Sewage Valve




污水阀  
Sewage Valve



污水阀  
Sewage Valve



圆型插板阀  
Round Type Board Plug Valve



电动圆型百叶阀  
Electric Round Type Louver Valve



矩形百叶阀  
Rectangle Louver Valve



下开式堰门  
Open Weir



池底排泥阀  
Bottom Mud Valve



手摇式启闭机  
Hand Hoist



电动启闭机  
Electric Hoist



铸铁方闸门  
Cast Iron Squareslide Gate Valve

## ➔ 过滤器系列 Filter Series



产品名称 Product Name	Y型过滤器 Y Strainer
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	管道过滤 Tube Strainer
阀体材质 Body Material	HT250、QT450、WCB、 LCB、CF8、CF8M、CF3、CF3M
压力等级 Pressure Rating	0.6-10.0MPa
通径范围 Size Range	DN15-500
连接形式 End Connection	法兰 Flange、焊接 Welding、RF、RTJ、WE



产品名称 Product Name	自洁式排气过滤器 Self-cleaning Air Filter
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	工业冷却、空调、热交换、生产生活热水等系统 The System, Such As Industrial Cooling, Air Condition, Heat Exchange, Production And Domestic Hot Water
阀体材质 Body Material	HT250、QT450、WCB、 LCB、CF8、CF8M、CF3、CF3M
压力等级 Pressure Rating	0.6-2.5MPa
通径范围 Size Range	DN80-800
连接形式 End Connection	法兰 Flange、焊接 Welding、RF、RTJ、WE



产品名称 Product Name	双联切换过滤器 Duplex Strainer
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	管道过滤 Tube Strainer
阀体材质 Body Material	HT250、QT450、WCB、 LCB、CF8、CF8M、CF3、CF3M
压力等级 Pressure Rating	0.6-2.5MPa
通径范围 Size Range	DN15-500
连接形式 End Connection	法兰 Flange、焊接 Welding、RF、RTJ、WE

## ➔ 过滤器系列 Filter Series



产品名称 Product Name	自动排污过滤器 Automatic Sewage Filter
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	管道过滤 Tube Strainer
阀体材质 Body Material	HT250、QT450、WCB、 LCB、CF8、CF8M、CF3、CF3M
压力等级 Pressure Rating	0.6-10.0MPa
通径范围 Size Range	DN15-1500
连接形式 End Connection	法兰 Flange、焊接 Welding、RF、RTJ、WE



产品名称 Product Name	T型管道过滤器 T Strainer
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	石化、制药、食品等管道 Pipe For Petrochemical, Pharmacy, Food Process
阀体材质 Body Material	HT250、QT450、WCB、 LCB、CF8、CF8M、CF3、CF3M
压力等级 Pressure Rating	0.6-4.0MPa
通径范围 Size Range	DN50-300
连接形式 End Connection	法兰 Flange、焊接 Welding、RF、RTJ、WE



全自动清洗过滤器  
Fully Automatic Cleaning Filter



油气分离过滤器  
Oil And Gas Separation Filter




SPL-25 双筒网片式过滤器  
SPL-25 Double Cylinder Net Type Filter




T型管道过滤器  
T Pipe Filter (T Type Strainer)

## ➔ 补偿器阀门系列 Compensator Valve Series



产品名称 Product Name	橡胶软接头 Flexible Rubber Joint
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	管道减震降噪、补偿位移 Anti-shake And Noise, Compensation For The Offset
阀体材质 Body Material	EPDM、NR、NBR、NEOPRENE
压力等级 Pressure Rating	0.6-4.0MPa
通径范围 Size Range	DN32-3000
连接形式 End Connection	法兰 Flange、RF



产品名称 Product Name	可拆双法兰传力接头 Detachable Double Flange Joint
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	泵、阀门等附件的松套连接 Loose Tube Pumps, Valves And Other Accessories Connected
阀体材质 Body Material	Q235、QT400-15、QT450-10
压力等级 Pressure Rating	0.6-1.0MPa
通径范围 Size Range	DN65-3200
连接形式 End Connection	法兰 Flange、RF



产品名称 Product Name	双法兰限位伸缩接头 Double Flange Limited Telescopic Joint
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	在允许位移范围内吸收轴向位移和承受压力推力的管道松套连接 The Loose Joint Of Pipeline Absorbing The Axial Displacement And Thrust Of Bearing Pressure Within The Allowed Displacement Range
阀体材质 Body Material	Q235、QT400-15、QT450-10
压力等级 Pressure Rating	0.6-1.0MPa
通径范围 Size Range	DN65 ~ DN3200
连接形式 End Connection	法兰 Flange、RF

## ➔ 补偿器阀门系列 Compensator Valve Series



产品名称 Product Name	无推力减震波纹补偿器 Damping Corrugated Compensator Without Thrust
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	泵、阀、空压机的进出口 The Inlet And Outlet Of Pump, Valve, Air Compressor
阀体材质 Body Material	SS304L\SS316L
压力等级 Pressure Rating	0.6-2.5MPa
通径范围 Size Range	DN15-DN1200
连接形式 End Connection	法兰 Flange、RF




产品名称 Product Name	轴向型内压式波纹补偿器 The Axial Inner Pressure Ripple Compensator
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	用于吸收轴向位移和少量的横向、角向位移 Use To Compensate The Axial Displacement And Small Lateral And Angular Displacement
阀体材质 Body Material	SS304L\SS316L
压力等级 Pressure Rating	0.6-2.5MPa
通径范围 Size Range	DN15-DN1200
连接形式 End Connection	法兰 Flange、RF



产品名称 Product Name	轴向型内压单式波纹补偿器 The Axial Internal Pressure Single Corrugated Compensator
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	用于吸收轴向位移 Used To Absorb Axial Displacement
阀体材质 Body Material	SS304L\SS316L
压力等级 Pressure Rating	0.6-2.5MPa
通径范围 Size Range	DN15-DN1500
连接形式 End Connection	法兰 Flange、RF

## ➔ 补偿器阀门系列 Compensator Valve Series



产品名称 Product Name	排烟管波纹补偿器 Exhaust Bellows Compensator
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	位移量打的电厂、发电机的排烟管 Displacement Of The Fight Plant, Exhaust Pipe Generator
阀体材质 Body Material	SS304L\SS316L
压力等级 Pressure Rating	0.25-1.0MPa
通径范围 Size Range	DN32-DN4000
连接形式 End Connection	法兰 Flange、RF



产品名称 Product Name	无约束型波纹补偿器 Unconstrained Corrugated Compensator
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	可以有效抵抗管道横向和角向位移 It Is Effective For Lateral And Angular Displacement
阀体材质 Body Material	SS304L\SS316L
压力等级 Pressure Rating	0.6-2.5MPa
通径范围 Size Range	DN32-DN1400
连接形式 End Connection	法兰 Flange、RF



VSSJAF 型双法兰传力接头  
VSSJAF Double Flange Dowel Joint



VSSJAFG型单法兰传力接头  
VSSJAFG Single Flange Dowel Joint



单法兰松套限位伸缩接头  
Single Flange Loose Limit Expansion Joints



衬氟波纹补偿器  
Fluorine Lined Ripple Compensator

## ➔ 耐腐蚀阀门 Corrosion-resistant Valves



衬氟隔膜阀  
Fluorine Lined Diaphragm Valve



衬氟球阀  
Fluorine Lined Ball Valve



衬氟蝶阀  
Fluorine Lined Butterfly Valve



衬氟闸阀  
Fluorine Lined Gate Valve



英标隔膜阀  
BS Diaphragm Valve



球阀放料阀  
Ball Valve Discharge Valve



衬氟管件补偿器/弯头/三通/四通  
Fluorine Lining Pipe Compensator / Elbow / Three Way / Four Way



衬胶隔膜阀  
Rubber Lined Diaphragm Valve



衬胶闸阀  
Rubber Lined Gate Valve



电动法兰蝶阀  
Electric-operated Flange End Butterfly Valve



全衬胶蝶阀  
Fully Rubber Lined Butterfly Valve



增强聚丙烯隔膜阀  
Reinforced Polypropylene Diaphragm Valve



## 仪表阀系列 Instrumentation Valves



SS-6NVF8



SS-26VF8-A



SS-26GVF8-M8



J61Y



SS-6NBS14mm  
(双卡套 Dual Compression Joint)



J23  
(锻压型 Forged Type)



J13



GMJ14FH  
(取样阀 Sampling Valve)



QJ-1 卡套式针形阀  
QJ-1 Sleeve Type Needle Valve



J19DN15 压力表三通阀  
J19DN15 Pressure Gauge Valve



内外螺纹针形阀  
Internal And External Thread Needle Valve



三阀组  
Monoflange

## 管路附件系列 Pipe Accessories Series



双卡  
Double Ferrules



镀银帽  
Silver Plating Nut



卡套式直通接头  
Male Straight Union



卡套弯通终端  
Male Elbow



卡套式直角管接头  
Union Elbow



卡套式端直通长管接头  
Straight Thread Long Connector



卡套式隔壁直通管接头  
Bulkhead Union



焊接式四通管接头  
Union Cross



卡套式锥螺纹直角接头  
Male Elbow



卡套式三通管接头  
Union Tee



单外丝皮管接头 Single Male  
Thread Leather Hose Connector



承插焊异径管接头  
Socket Weld Reducer

## ➔ 法兰系列 Flange Series



产品名称 Product Name	法兰系列 Flange Series
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	石化、电力、海水淡化、新能源等工况 The Service, Such As Petrochemical, Power, Sea Water Desalination, New Energy.
材质 Material	A105,20#, Q235、16Mn、ASTM A350 LF1, LF2 CL1/CL2, LF3 CL1/CL2、ASTM A694 F42, F46,F48, F50, F52, F56, F60, F65, F70;  ASTM A182 F304、304L、F316、316L、 1Cr18Ni9Ti、0Cr18Ni9Ti、321、18-8;  ASTMA182 F1、F5a、F9、F11、F12、F22、 F91、A182F12、A182F11、16MnR、Cr5Mo、 12Cr1MoV、15CrMo、12Cr2Mo1、A335P22、 St45.8/III;
压力等级 Pressure Rating	0.25-42.0MPa
通径范围 Size Range	DN10-DN3000



盲板  
Blind Flange



GB/T86.1-94  
HG5028-58



HG 20593-97 PL-RF DIN2578



HG 20595-97 WN RF DIN2634



HG 20616-97 SO RF 150LB  
ANS1.B16.5 150LB SLIP-ON



JB/T81.1-94 HG5010-58




HG20594-97 SO Therefore



HG20599-97 PL FF DIN2577

## ➔ 管件系列 Tube Series



产品名称 Product Name	管件 Tube
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 API、BS、GB、JIS
适用工况 Application Conditions	石化、电力、海水淡化、新能源等工况 The Service, Such As Petrochemical, Power, Sea Water Desalination, New Energy.
材质 Material	A105,20#, Q235、16Mn、ASTM A350 LF1, LF2 CL1/CL2, LF3 CL1/CL2、ASTM A694 F42, F46,F48, F50, F52, F56, F60, F65, F70;  ASTM A182 F304、304L、F316、316L、 1Cr18Ni9Ti、0Cr18Ni9Ti、321、18-8;  ASTMA182 F1、F5a、F9、F11、F12、F22、 F91、A182F12、A182F11、16MnR、Cr5Mo、 12Cr1MoV、15CrMo、12Cr2Mo1、A335P22、 St45.8/III;
压力等级 Pressure Rating	0.25-42.0MPa
通径范围 Size Range	有缝 Seamed DN300-DN1600 无缝 Seamless DN10-DN800



不锈钢长半径弯头90°  
Stainless Steel Elb 90lr



不锈钢长半径弯头45°  
Stainless Steel Elb 45lr



不锈钢等径三通  
Stainless Steel Tee



不锈钢四通  
Stainless Steel Crosses



不锈钢翻边短接  
Stainless Steel Crimp Pup Joint



不锈钢同心异径管  
Stainless Steel Con Red




不锈钢同心异径管  
Stainless Steel Con Red



不锈钢管帽  
Stainless Steel Pipe Cap

## ➔ 管材系列 Piping Series



产品名称 Product Name	不锈钢无缝管 Stainless And Seamless Steel Pipe
设计、制造标准 Design & Manufacturing	美标、英标、国标、日标 ASTM/ASME、BS、GB、JIS
适用工况 Application Conditions	石化、电力、海水淡化、新能源等工况 The Service, Such As Petrochemical, Power, Sea Water Desalination, New Energy.
材质 Material	304、304L、304H、321、321H、316、 316L、317、310S、347H、 S31803、S32205
压力等级 Pressure Rating	Class150-2500Lb PN1.6-42.0Mpa
通径范围 Size Range	(Φ6mm-Φ580mm) ODX ( 1.00mm-30.00mm ) WTX ( 4000mm-15000mm ) LONG



不锈钢无缝管  
Stainless And Seamless Steel Pipe



合金管  
Alloy Pipe



化肥专用管  
Fertilizer Pipe



精密管  
Precision Pipe



热轧无缝钢管  
Hot Rolling Seamless Steel Pipe



石油裂化管  
Petroleum Cracking Tube

## ➔ 螺栓系列 Bolt Series



组合件  
Assembling Unit



高强双头螺栓  
High Strength Stud



石油钻采设备材料  
Petroleum Drill And Exploitation Equipment



全丝高强螺栓  
Full Thread Bolt



不锈钢活节螺栓  
Stainless Steel Eye Bolt



镀PTFE的活节螺栓  
PTFE Plated Eye Bolt



六角法兰面螺栓  
Six Corner Flange Bolt



绿色特氟龙螺柱  
Green Teflon Stud



红色PTFE螺柱  
Red PTFE Stud



ASTM A194-8M




PTFE螺母  
PTFE Nut




法兰面螺母  
Flange Surface Nut




开槽螺母  
Slotted Nut



尼龙锁紧螺母  
Nylon Lock Nut



全金属锁紧螺母  
Metal Lock Nut



双向不锈钢 660a  
Duplex Stainless Steel 660A

## ➔ 执行机构及附件 Actuators And Accessories



多回转电动执行  
Multi Turn Electric Actuator



电动执行器  
Electric Actuator



气动拨叉式  
Pneumatic Shifting Fork Type



不锈钢气缸  
Stainless Steel Cylinder



ASCO电磁阀  
ASCO Solenoid Valve



ASCO电磁阀  
ASCO Solenoid Valve



ASCO电磁阀  
ASCO Solenoid Valve



定位器  
Positioner



过滤器  
Filter



减压阀  
Pressure Reducing Valve



气动执行器  
Pneumatic Actuators



限位开关  
Limit Switch

## ➔ 高性能阀门修复 High Performance Valve Repair



高性能蝶阀维修前  
High Performance Butterfly Valve  
Before Maintenance



高性能蝶阀维修后  
High Performance Butterfly Valve  
After Maintenance



顶装式球阀维修前  
Top Entry Ball Valve  
Before Repair



顶装式球阀维修中  
Top Entry Ball Valve  
During Repair



现场服务  
Site Service



现场服务  
Site Service